Material Safety Data Sheet	U.S. Department of Labor				
May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be	Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved				
consulted for specific requirements.	OMB No. 1218-0072				
IDENTITY (As used on Label and List) BIOFREEZE	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.				
Section I					
Manufacturer's Name PERFORMANCE HEALTH	Emergency Telephone Number 724-733-9500				
Address (Number, Street, City, State, and Zip Code) 1017 BOYD ROAD	Telephone Number for Information 724-733-9500				
EXPORT, PA. 15632	Date Prepared APRIL 2001				
Signature of Preparer (optional)					
	ntity Information Common Name(s)): ther Limits (recommended) % (optional)				
ISOPROPYL ALCOHOL MENTHOL					
Section IIIPhysical/Chemical Characte	eristics				
Boiling Point	Melting point				
Boiling Point	Melting point NA				
Boiling Point NA /apor Pressure (mm Hg.)	Melting point NA Specific Gravity (H20 = 1)				
Boiling Point NA /apor Pressure (mm Hg.)	Melting point NA Specific Gravity (H20 = 1) 0.95 +/- 0.05				
VA /apor Pressure (mm Hg.) VA /apor Density (AIR = 1)	Melting point NA Specific Gravity (H20 = 1) 0.95 +/- 0.05 Evaporation Rate (Butyl Acetate = 1)				
Boiling Point NA /apor Pressure (mm Hg.) NA /apor Density (AIR = 1) NA	Melting point NA Specific Gravity (H20 = 1) 0.95 +/- 0.05 Evaporation Rate (Butyl Acetate = 1)				
Boiling Point NA Vapor Pressure (mm Hg.) VA Vapor Density (AIR = 1) VA Solubility in Water	Melting point NA Specific Gravity (H20 = 1) 0.95 +/- 0.05 Evaporation Rate (Butyl Acetate = 1)				

Section IV F	ire and	Explosio	n Hazai	rd Data				
Flash Point (Metho				0#25				
35 c CLOSED CU	P			TLEL		TUEL		
20-35 c								
Extinguishing Media	a			_1				
FIRE EXTINGUISH	IING MEDIA	: WATER	SPRAY, D	RY CHEMI	CALS, CAR	BON DIOXIDE		
Special Fire Fightin	g Procedure	es						
<u>NA</u>		055 7 8 (2)	······································					
Unusual Fire and E	xplosion Ha	zards						
NONE								
	Men.							
Section VRe	activity	Data						
Stability	Unstable							
	HEAT, SI	JNLIGHT,	PRESSURE					
	Stable	X						
Incompatibility (Mate	erials to Avo	oid)	1					
NOT KNOWN								
Hazardous Decomp		yproducts						
ALCOHOLIC VAPO Hazardous		I	Condition	s To Avoid				
Polymerization	May Occur	:	Conditions To Avoid:					
r diyinenzation	Will not	· · · · · · · · · · · · · · · · · ·	!					
	Occur	X						
Section VIHe	ealth Haz	zard Data	a				-	
Route(s) of Entry		Inhalation?	NA	Skin?	MAYBE	Ingestion?	NA	
Health Hazards (Acu	ite and Chr	onic)				- -		
NOT KNOWN								
	19	- 1						
Carcinogenicity		NTP?		IARC Mo	nographs?	OSHA Regul	lated?	
NOT KNOWN				NOT KNO	NWO	NO		
Signs and Symptoms	s of Exposu	 re						
1949 1950			620 20 EC C 15 T 15 EC					
			·					
Medical Conditions G	senerally Ag	gravated by	/ Exposure					
NOT KNOWN					AND THE PARTY OF T			
Emergency and First								
FOR EYE CONTACT	- WASH E	YE WITH W	ARM WAT	TER AND C	ONSULT A	PHYSICIAN		

ř

Section	n VII Precautions fo	r Safe Hand	lling and	LISE			
Steps to t	be Taken in Case Material is R	eleased or Spille	ed:		07/05/9	12523	2000
IF SPILL	ED. WIPE OFF WITH TOWEL	AND CLEAN T	HE AREA W	VITH WA	TER		
		THE VARIABLE	us nuch n		иых.		
	(*************************************			80 E		±0.57 (37) (7	***
1	sposal Method:	7.44	32			经	
NA			27/12/		n k		
1-		·		4 6 2 6	2 (323)		
						7	
Precaution	ns to be Taken in Handling and	1 Storing					na n as i
HANDLE	WITH CARE: STORE IN COO	L DRY PLACE					
						*****	*** * * * * * * * * * * * * * * * * * *
Other Prec	rautions		T			* * *	# 14 14 2 4
NONE	addions.						
	8 8 GN 60			r ramara	* 1	C(# (#))	
	VIIIControl Measure	es					
	Protection (Specify Type)						
NONE REC	QUIRED	V1 V 200 200 1000					
	Local Exhaust		Special			S 18	
Ventilation	ADEQUATE	20 (2	NONE				
	Mechanical (General)		Other		.0	*	1
n	<u></u>		<u> </u>				
Protective (#3			
NOT REQUE Eye Protect							
NONE							1
	ctive Clothing or Equipment						
NONE							
	nic Practices						
NONE	T 1 190	•0 ************************************					
							1000